




1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	• Chimney Guard™ Part B
Trade Name	• RE2135 B
Company	• Quadex LLC, 564 W. 9320 S., Sandy, UT 84070
Company Contact	• Matthew Peterson
Company Phone	• 844-782-4832
Emergency	• Domestic Shipments and to Canada: 1-800-633-8253 • International Shipments: 1-801-629-0667

2. HAZARDS IDENTIFICATION

GHS Ratings	<p><i>Carcinogen</i> • 2 • Limited evidence of human or animal carcinogenicity</p>
<i>Hazard Statement(s)</i>	<p><i>H351</i> • Suspected of causing cancer</p>
<i>Precautionary Statement(s)</i>	<p><i>P201</i> • Obtain special instructions before use</p> <p><i>P202</i> • Do not handle until all safety precautions have been read and understood</p> <p><i>P281</i> • Use personal protective equipment as required</p> <p><i>P308+P313</i> • IF exposed or concerned: Get medical advice/attention</p> <p><i>P405</i> • Store locked up</p> <p><i>P501</i> • Dispose of contents/container to ...</p>
<i>Signal Word</i>	• Warning
<i>Pictogram</i>	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Cas #	Weight Concentration %
<i>Epoxy Resin</i>	• 25085-99-8	• 61.00%
<i>Barium Sulfate</i>	• 7727-43-7	• 20.00% - 30.00%
<i>Silica</i>	• 67762-90-7	• 5.00% - 10.00%
<i>Titanium Dioxide</i>	• 13463-67-7	• 1.00% - 5.00%

4. FIRST AID MEASURE

If inhaled remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms. Rinse immediately with plenty of water for at least 15 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue rinsing. Get medical attention, if irritation or symptoms of overexposure persists. Immediately wash skin with soap and plenty of water. If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

<i>Flash Point</i>	• N/A
<i>LEL</i>	• N/A
<i>UEL</i>	• N/A
<i>Not applicable</i>	
<i>Foam, Carbon dioxide (CO2) or dry chemical or water spray (water stream may be ineffective).</i>	
<i>No information available</i>	
<i>Not available</i>	
<i>Firefighters, and others exposed, wear self-contained breathing apparatus.</i>	

6. ACCIDENTAL RELEASE MEASURES

Stop leak. Dike or contain spill. Pump into slavage tanks and/or absorb with suitable material. Use sparkless shovel to remove material. Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use appropriate containment and clean up immediately. Corrosive. Avoid personal contact and breathing vapor or mist. Stop leak, Dike and contain spill. Prevent spilled material from entering the ground, water and/or air by using appropriate containment methods.

7. HANDLING AND STORAGE

Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Keep away from heat and flame. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. Avoid exposure to heat, light, and air for prolonged periods of time. Store in a cool, dry well ventilated area away from sources of heat and incompatible materials. Eliminate all ignition materials and incompatible materials. Collect spill with non spark tools. No information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<i>Chemical Name / CAS No.</i>	• Epoxy Resin 25085-99-8
<i>OSHA Exposure Limits</i>	• Not Established.
<i>ACGIH Exposure Limits</i>	• Not Established.
<i>Other Exposure Limits</i>	• Not Established.

<i>Chemical Name / CAS No.</i>	• Barium Sulfate 7727-43-7
<i>OSHA Exposure Limits</i>	• 15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)
<i>ACGIH Exposure Limits</i>	• 5 mg/m ³ TWA (inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica)
<i>Other Exposure Limits</i>	• NIOSH: 10 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable dust)

<i>Chemical Name / CAS No.</i>	• Silica 67762-90-7
<i>OSHA Exposure Limits</i>	• Not Established.
<i>ACGIH Exposure Limits</i>	• Not Established.
<i>Other Exposure Limits</i>	• Not Established.

<i>Chemical Name / CAS No.</i>	• Titanium Dioxide 13463-67-7
<i>OSHA Exposure Limits</i>	• 15 mg/m ³ TWA (total dust)
<i>ACGIH Exposure Limits</i>	• 10 mg/m ³ TWA
<i>Other Exposure Limits</i>	• Not Established.

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactory and meets OSHA or other recognized standards. Consult with local procedures for selection, training, and maintenance of the personal protective equipment. Always use adequate ventilation that comply with local regulations.

<i>Eye/face Protection</i>	• Wear appropriate protective glasses or splash goggles as described by 29 CFR 910.133, OSHA eye and face protection regulation, or the European standard EN 166.
<i>Skin Protection</i>	• Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing.
<i>Respiratory Protection</i>	• A NIOSH air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known or any other circumstance where air purifying respirator may not provide adequate protection.

9. PHYSICAL & CHEMICAL PROPERTIES

<i>Boiling Point</i>	• 2500 to 3000°C
<i>Specific Gravity (SG)</i>	• 1.594
<i>Lbs VOC/Gallon Less Water</i>	• 0.00
<i>Lbs VOC/Gallon Less Exempt</i>	• 0.00
<i>% VOL by Volume</i>	• 0.00

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stable, Hazardous polymerization will not occur. STABLE. Strong acids, caustics, oxidizers, Avoid uncontrolled exposure to Epoxy Resin, Amine. No Data Found. None known, other than Sec. #2 and Sec #5. No Data Found, Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Mixture Toxicity	
Component Toxicity	
<i>CAS Number</i>	• 13463-67-7
<i>Description</i>	• Titanium Dioxide
<i>% Weight</i>	• 1 to 5%
<i>Carcinogen Rating</i>	• Titanium Dioxide: NIOSH: potential occupational carcinogen • IARC: Possible human carcinogen • OSHA: listed
<i>Effects of Overexposure</i>	
<i>Avoid breathing vapors</i>	
<i>Oral</i>	• N.D.A.
<i>Dermal</i>	• N.D.A.
<i>Inhalation</i>	• N.D.A.

12. ECOLOGICAL INFORMATION

No ecotoxicity data was found for the product. Component Ecotoxicity.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.

14. TRANSPORT INFORMATION

UN3082 Environmentally Hazardous Substance, Liquid N.O.S. (Epoxy Resin)
Packaging Group III:
Hazardous Class 9

15. REGULATORY INFORMATION

OSHA:29 CFR 1910.1200 Hazardous Chemical "Irritant", Sensitizer State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING!
 This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:
 13463-67-7 Titanium Dioxide 1 to 5 % Carcinogen

<i>The following chemicals are classified under SARA 313 Toxic Release Inventory (TRI):</i>	<ul style="list-style-type: none"> • None
<i>Country</i>	<ul style="list-style-type: none"> • EU
<i>Safety Phrase</i>	<ul style="list-style-type: none"> • None
<i>Regulation</i>	<ul style="list-style-type: none"> • All Components Listed
<i>REACH (EU) SUBSTANCES OF VERY HIGH CONCERN</i>	<ul style="list-style-type: none"> • No
<i>Toxic Substance Control Act (TSCA)</i>	<ul style="list-style-type: none"> • Yes

16. OTHER INFORMATION

<i>Further Information</i>	<ul style="list-style-type: none"> • HMIS® is a registered trade and service mark of the NPCA.
HMIS® Ratings	
<i>Health</i>	<ul style="list-style-type: none"> • 1
<i>Flammability</i>	<ul style="list-style-type: none"> • 1
<i>Physical hazard</i>	<ul style="list-style-type: none"> • 2
NFPA Ratings	
<i>Health</i>	<ul style="list-style-type: none"> • 1
<i>Flammability</i>	<ul style="list-style-type: none"> • 1
<i>Instability</i>	<ul style="list-style-type: none"> • 2
<i>Disclaimer</i>	<ul style="list-style-type: none"> • The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
<i>Issue Date</i>	<ul style="list-style-type: none"> • Not available.
<i>This Data Sheet Contains</i>	<ul style="list-style-type: none"> • Product and Company Identification: Synonyms changes from the previous Physical & Chemical Properties: Multiple Properties version in section(s): Transport Information: Material Transportation Information Regulatory Information: United States.