SAFETY DATA SHEET





1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	 Structure Guard[®] Catalyst - Part B 	
Trade Name	• RD 1000	
Company	• Quadex LLC, 564 W. 9320 S., Sandy, UT 84070	
Company Contact	Matthew Peterson	
Company Phone	• 844-782-4832	
Emergency	• Domestic Shipments and to Canada: 1-800-633-8253	
	 International Shipments: 1-801-629-0667 	

2. HAZARDS IDENTIFICATION

GHS Ratings			
	Oral Toxicity	• Acute Tox. 2	• Oral>5+<=50mg/kg
	Skin corrosive	• 2	 Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation
	Eye corrosive	• 1	 Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
	Skin sensitizer	• 1	• Skin sensitizer
	Reproductive toxin	• 2	 Human or animal evidence possibly with other information
Hazard Statement(s)			
	H300	• Fatal if swallow	ved
	H315	• Causes skin irri	tation
	H317	• May cause an a	allergic skin reaction
	H318	Causes serious	eye damage
	H361	 Suspected of d child 	lamaging fertility or the unborn



2. HAZARDS IDENTIFICATION (CONTINUED)

Precautionary	
Statement(s)	

Statement(s)		
	P201	Obtain special instructions before use
	P202	 Do not handle until all safety precautions have been read and understood
	P261	 Avoid breathing dust/fume/gas/mist/vapours/ spray
	P264	• Wash thoroughly after handling
	P270	 Do not eat, drink or smoke when using this product
	P272	 Contaminated work clothing should not be allowed out of the workplace
	P280	 Wear protective gloves/protective clothing/eye protection/face protection
	P281	• Use personal protective equipment as required
	P310	 Immediately call a POISON CENTER or doctor/ physician
	P321	• Specific treatment (see on this label)
	P330	Rinse mouth
	P362	 Take off contaminated clothing and wash before reuse
	P363	 Wash contaminated clothing before reuse
	P301+P310	 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
	P302+P352	 IF ON SKIN: Wash with soap and water
	P305+P351+P338	 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
	P308+P313	 IF exposed or concerned: Get medical advice/ attention
	P332+P313	 If skin irritation occurs: Get medical advice/ attention
	P333+P313	 If skin irritation or a rash occurs: Get medical advice/attention
	P405	Store locked up
	P501	• Dispose of contents/container to
ignal Word	Danger	
Pictogram		

STRUCTURE GUARD® SAFETY DATA SHEET



Chemical Name	Cas #	Weight Concentration %
Paratertiarybutylphenol	• 98-54-4	• 30.00% - 40.00%
Amine	• 1477-55-0	• 20.00% - 30.00%
1,5-Pentanediamine, 2 methyl	• 15520-10-2	• 20.00% - 30.00%
Silica	• 67762-90-7	• 10.00% - 20.00%
nonyl phenol	• 84852-15-3	• 1.00% - 5.00%

4. FIRST AID MEASURE

If inhaled remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms. Rinse immediately with plenty of water for at least 15 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue Rinsing. Get medical attention, if irritation or symptoms of overexposure persists. Immediately wash skin with soap and plenty of water. If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flash Point	• 134°C (273°F)
LEL	• N/A
UEL	• N/A
Not applicable	
Foam, Carbon dioxide (CO2) or dry chemical or water spray (water stream may be ineffective).	
No information available	
Not available	
Firefighters, and others exposed, wear self- contained breathing apparatus.	

6. ACCIDENTAL RELEASE MEASURES

Stop leak. Dike or contain spill. Pump into slavage tanks and/or absorb with suitable material. Use sparkless shovel to remove material. Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use appropriate containment and clean up immediately. Stop leak, Dike and contain spill. Prevent spilled material from entering the ground, water and/ or air by using appropriate containment methods.

7. HANDLING AND STORAGE

Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Keep away from heat and flame. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. Avoid exposure to heat, light, and air for prolonged periods of time . Store in a cool, dry well ventilated area away from sources of heat and incompatable materials. Eliminate all ignition materials and incompatible materials. Collect spill with non spark tools.

STRUCTURE GUARD® SAFETY DATA SHEET



8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name / CAS No.	Paratertiarybutylphenol 98-54-4
OSHA Exposure Limits	• Not Established.
ACGIH Exposure Limits	• Not Established.
Other Exposure Limits	• Not Established.
Chemical Name / CAS No.	• Amine 1477-55-0
OSHA Exposure Limits	• Not Established.
ACGIH Exposure Limits	• 0.1 mg/m ³ Ceiling
Other Exposure Limits	• NIOSH: 0.1 mg/m ³ Ceiling
Chemical Name / CAS No.	• 1,5-Pentanediamine, 2 methyl 15520-10-2
OSHA Exposure Limits	• Not Established.
ACGIH Exposure Limits	• Not Established.
Other Exposure Limits	• Not Established.
Chemical Name / CAS No.	• Silica 67762-90-7
OSHA Exposure Limits	• Not Established.
ACGIH Exposure Limits	• Not Established.
Other Exposure Limits	• Not Established.
Chemical Name / CAS No.	• nonyl phenol 84852-15-3
OSHA Exposure Limits	• Not Established.
ACGIH Exposure Limits	• Not Established.
Other Exposure Limits	• Not Established.
ACGIH Exposure Limits Other Exposure Limits Chemical Name / CAS No. OSHA Exposure Limits ACGIH Exposure Limits Other Exposure Limits Chemical Name / CAS No. OSHA Exposure Limits ACGIH Exposure Limits	 Not Established. Not Established. Silica 67762-90-7 Not Established. Not Established. Not Established. nonyl phenol 84852-15-3 Not Established. Not Established. Not Established.

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficiant to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which preforms satisfactory and meets OSHA or other recgonized standards. Consult with local procedures for selection, training, and maintenance of the personal protective equipment. Always use adaquate ventilation that comply with local regulations.

Eye/face Protection	 Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection reulation, or the Europena standard EN 166.
Skin Protection	• Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing.
Respiratory Protection	• A NIOSHair purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive presure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known or any other circumstance where air purifyig respirator may not provide adequate protection.

4



9. PHYSICAL & CHEMICAL PROPERTIES

Boiling Point	• 247 °C
Specific Gravity (SG)	• 0.970
Lbs VOC/Gallon Less Water	• 0.00
Lbs VOC/Gallon Less Exempt	• 0.00
% VOL by Volume	• 0.00

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stable, Hazardous polymeraization will not occur. Will react with Epoxy Resins especially at elevated temperatures. STABLE. Epoxy Resins under uncontrolled conditions. Mineral acids. Organic acid, oxidixers, Reacts with metals until reacted with epoxy. None known. Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Mixture Toxicity	
Oral Toxicity LD50	• 8mg/kg
Dermal Toxicity LD50	• 3,216mg/kg
Inhalation Toxicity LC50	• 2,901mg/L
Component Toxicity	 Paratertiarybutylphenol 98-54-4 Oral LD50: 3,250 QL/kg (Rat) Dermal LD50: 2,318 mg/kg (Rabbit) Amine 1477-55-0 Oral LD50: 660 mg/kg (Rat) Dermal LD50: 2 g/kg (Rabbit) Inhalation LC50: 700 ppm (Rat) nonyl phenol 84852-15-3 Oral LD50: 1,300 mg/kg (Rat) Dermal LD50: 2,031 mg/kg (Rabbit)
Eyes	Irritant to the eyes. Corrosive to Eyes
Skin	Irritant to the skin. Corrosive to Skin
Inhalation	• Irritant to respiratory tract. Prolonged or excessive inhalation may cause respiratory tract irritation.
Sensitization	• Skin sensitization in humans. Avoid breathing vapors.
Oral	• N.D.A.
Dermal	• N.D.A.
Inhalation	• N.D.A.



12. ECOLOGICAL INFORMATION

No ecotoxicity data was found for the product.	
Component Ecotoxicity	
Paratertiarybutylphenol	 96 Hr LC50 Pimephales promelas: 4.71 - 5.62 mg/L [flow-through]; 96 Hr LC50 Cyprinus carpio: 6.9 mg/L [static] 48 Hr EC50 Daphnia magna: 3.9 mg/L; 48 Hr EC50 Daphnia magna: 3.4 - 4.5 mg/L [Static] 72 Hr EC50 Desmodesmus subspicatus: 11.2 mg/L
nonyl phenol	 96 Hr LC50 Pimephales promelas: 0.135 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 0.1351 mg/L [flow-through] 48 Hr EC50 Daphnia magna: 0.14 mg/L 96 Hr EC50 Pseudokirchneriella subcapitata: 0.36 - 0.48 mg/L [static]; 72 Hr EC50 Pseudokirchneriella subcapitata: 0.16 - 0.72 mg/L [static]; 72 Hr EC50 Desmodesmus subspicatus: 1.3 mg/L

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.

14. TRANSPORT INFORMATION

UN2735 Amines, Liquid, corrosive, n.o.s. (Benzene-1,3-Dimethanamine,1,5-Pentanediamine, 2-Mthyl). DOT Hazard Class 8 DOT Packaging Class II

15. REGULATORY INFORMATION

OSHA:29 CFR 1910.1200 (40 CFR 372.65)	Haxardous Chemical "Irritant", SensitizerSupplier Notification Required	
TSCA	Ingredients listed	
SARA III	• Sec311 & 312 Immediate Health Haxard; Sec313 Chemicals above de minimus level: None	
CA PROP. 65 NOTICE WARNING: CANADIAN REGULATORY INFO	 WHMIS; Hazard Classification: D2B Skin Sensitizer. Refer to SDS for specific warnings WHMIS Symbols Stylized T. WHMIS Trade Secret Registry Numbers - None Hazardous Products Act Information: This product SDS contains ingredients which are Controlled and/or on the Ingredient Disclosure List (HPA sections 13 and 14). 	
The following chemicals are classified under SARA 313 Toxic Release Invetnory (TRI)	• 84852-15-3 nonyl phenol 1 to 5 %	



Country	• EU	
Regulation	REACH (EU) SUBSTANCES OF VERY HIGH CONCERNToxic Substance Control Act (TSCA)	
All Components Listed	• EU - No • TSCA - Yes	
Safety Phrase	• None	

15. REGULATORY INFORMATION (CONTINUED)

16. OTHER INFORMATION

Further Information	• HMIS® is a registered trade and service mark of the NPCA.	
HMIS [®] Ratings		
	Health	• 3
	Flammability	• 1
	Physical hazard	• O
	Personal Protection:	• H
NFPA Ratings		
	Health	• 3
	Flammability	• 1
	Instability	• O
Disclaimer	 The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. 	
Issue Date	• Not available.	
This Data Sheet Contains	• Product and Company Identification: Synonyms changes from the previous Physical & Chemical Properties: Multiple Properties version in section(s): Transport Information: Material Transportation Information Regulatory Information: United States.	