

# PARSONPOXY SEL 80

## SAFETY DATA SHEET

### CATALYST - PART B



#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name ParsonPoxy SEL 80 - Catalyst Part B  
Company Parson Environmental Products  
17 AD Asbury Rd.  
Greenville, SC 29605  
Company Contact Matthew Peterson  
Company Phone 844-782-4832  
Emergency Domestic Shipments and to Canada: 1-800-633-8253  
International Shipments: 1-801-629-0667

#### 2. HAZARDS IDENTIFICATION

##### GHS Ratings:

Skin corrosion/irritation	1A	Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal
Serious eye damage/eye irritation	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity $\geq 3$ , Iritis $> 1.5$
Skin sensitization	1	Skin sensitizer
Reproductive toxicity	2	Human or animal evidence possibly with other information

##### GHS Hazards:

H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H361	Suspected of damaging fertility or the unborn child

##### GHS Precautions:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash ... thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P310	Immediately call a POISON CENTER or doctor/physician
P321	Specific treatment (see ... on this label)
P363	Wash contaminated clothing before reuse
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P302+P352	IF ON SKIN: Wash with soap and water
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

## 2. HAZARDS IDENTIFICATION (CONTINUED)

P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention
P405	Store locked up
P501	Dispose of contents/container to ...
<i>Signal Word</i>	Danger



## 3. COMPOSITION / INFORMATION ON INGREDIENTS

<i>Chemical Name</i>	<i>Cass #</i>	<i>Weight Concentration %</i>
Amine	1761-71-3	60.00% - 70.00%
Amine	10563-26-5	20.00% - 30.00%
Silica	67762-90-7	1.00% - 5.00%

## 4. FIRST AID MEASURES

If inhaled remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms. Rinse immediately with plenty of water for at least 15 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue Rinsing. Get medical attention, if irritation or symptoms of overexposure persists. Immediately wash skin with soap and plenty of water. If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

## 5. FIRE FIGHTING MEASURES

Flash Point	134°C (273°F)
LEL	N/A
UEL	N/A

Not applicable. Foam, Carbon dioxide (CO2) or dry chemical or water spray (water stream may be ineffective). No information available. Not available. Firefighters, and others exposed, wear self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

Stop leak. Dike or contain spill. Pump into slavage tanks and/or absorb with suitable material. Use sparkless shovel to remove material. Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use appropriate containment and clean up immediately. Corrosive. Avoid personal contact and breathing vapor or mist. Stop leak. Dike and contain spill. Prevent spilled material from entering the ground, water and/or air by using appropriate containment methods.

## 7. HANDLING AND STORAGE

Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Keep away from heat and flame. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. Avoid exposure to heat, light, and air for prolonged periods of time. Store in a cool, dry well ventilated area away from sources of heat and incompatible materials. Eliminate all ignition materials and incompatible materials. Collect spill with non spark tools.

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Paratertiarybutylphenol 98-54-4	Not Established	Not Established	Not Established
Amine 1477-55-0	Not Established	0.1 mg/m <sup>3</sup> Ceiling	NIOSH: 0.1 mg/m <sup>3</sup> Ceiling
1,5-Pentanediamine, 2 methyl 15520-10-2	Not Established	Not Established	Not Established
Silica 67762-90-7	Not Established	Not Established	Not Established
nonyl phenol 84852-15-3	Not Established	Not Established	Not Established

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactory and meets OSHA or other recognized standards. Consult with local procedures for selection, training, and maintenance of the personal protective equipment. Always use adequate ventilation that comply with local regulations.

### *Eye/face Protection:*

Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

### *Skin Protection:*

Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing.

### *Respiratory Protection:*

A NIOSH air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known or any other circumstance where air purifying respirator may not provide adequate protection.

## 9. PHYSICAL & CHEMICAL PROPERTIES

Boiling Range	247°C
Specific Gravity (SG)	0.970
Lbs VOC/Gallon Less Water	0.00
Lbs VOC/Gallon Less Exempt	0.00
% VOL by Volume	0.00

## 10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stable, Hazardous polymerization will not occur. Will react with Epoxy Resins especially at elevated temperatures. STABLE. Epoxy Resins under uncontrolled conditions. Mineral acids. Organic acid, oxidizers, Reacts with metals until reacted with epoxy. None known. Hazardous polymerization will not occur.

## 11. TOXICOLOGICAL INFORMATION

### Mixture Toxicity

Oral Toxicity	LD50 8 mg/kg
Dermal Toxicity	LD50 3,216 mg/kg
Inhalation Toxicity	LC50 2,901 mg/L

### Component Toxicity:

98-54-4	Paratertiarybutylphenol: Oral LD50: 3,250 QL/kg (Rat) Dermal LD50: 2,318 mg/kg (Rabbit)
1477-55-0	Amine: Oral LD50: 660 mg/kg (Rat) Dermal LD50: 2 g/kg (Rabbit) Inhalation LC50: 700 ppm (Rat)
84852-15-3	nonyl phenol: Oral LD50: 1,300 mg/kg (Rat) Dermal LD50: 2,031 mg/kg (Rabbit)

Eyes	Irritant to the eyes. Corrosive to Eyes
Skin	Irritant to the skin. Corrosive to Skin
Inhalation	Irritant to respiratory tract. Prolonged or excessive inhalation may cause respiratory tract irritation.
Sensitization	Skin sensitization in humans. Avoid breathing vapors.
Oral	N.D.A.
Dermal	N.D.A.
Inhalation	N.D.A.

## 12. ECOLOGICAL INFORMATION

No ecotoxicity data was found for the product.

### Component Ecotoxicity:

Paratertiarybutylphenol	96 Hr LC50 Pimephales promelas: 4.71 - 5.62 mg/L [flow-through]; 96 Hr LC50 Cyprinus carpio: 6.9 mg/L [static] 48 Hr EC50 Daphnia magna: 3.9 mg/L; 48 Hr EC50 Daphnia magna: 3.4 - 4.5 mg/L [Static] 72 Hr EC50 Desmodesmus subspicatus: 11.2 mg/L 96 Hr LC50 Pimephales promelas: 0.135 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 0.1351 mg/L [flow-through] 48 Hr EC50 Daphnia magna: 0.14 mg/L 96 Hr EC50 Pseudokirchneriella subcapitata: 0.36 - 0.48 mg/L [static]; 72 Hr EC50 Pseudokirchneriella subcapitata: 0.16 - 0.72 mg/L [static]; 72 Hr EC50 Desmodesmus subspicatus: 1.3 mg/L
-------------------------	---

### 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.

### 14. TRANSPORT INFORMATION

UN2735 Amines, Liquid, corrosive, n.o.s. (Benzene-1,3-Dimethanamine,1,5-Pentanediamine, 2-Mthyl).

DOT Hazard Class 8 DOT

Packaging Class II

### 15. REGULATORY INFORMATION

OSHA:29 CFR 1910.1200

(40 CFR 372.65)

TSCA

SARA III

Hazardous Chemical "Irritant", Sensitizer

Supplier Notification Required

Ingredients listed

Sec311 & 312 Immediate Health Hazard; Sec313 Chemicals above de minimus level: None

#### CA PROP. 65 NOTICE WARNING

CANADIAN REGULATORY INFO

WHMIS Symbols

WHMIS Trade Secret Registry Numbers

Hazardous Products Act Information

WHMIS; Hazard Classification: D2B Skin Sensitizer. Refer to SDS for specific warnings

Stylized T.

None

This product SDS contains ingredients which are Controlled and/or on the Ingredient Disclosure List (HPA sections 13 and 14).

The following chemicals are classified under SARA 313 Toxic Release Inventory (TRI): 84852-15-3 nonyl phenol 1 to 5 %

Country

Regulation

All Components Listed

Safety Phrase

EU

REACH (EU) SUBSTANCES OF VERY HIGH CONCERN

Toxic Substance Control Act (TSCA)

EU - No

TSCA - Yes

None

### 16. OTHER INFORMATION

Further information

HMIS® ratings

NFPA ratings

HMIS® is a registered trade and service mark of the NPCA.

Health: 3

Flammability: 1

Physical hazard: 0

Personal Protection: H

Health: 3

Flammability: 1

Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*This data sheet contains changes from the previous version in section(s):*

Product and Company Identification: Synonyms

Physical & Chemical Properties: Multiple Properties

Transport Information: Material Transportation Information

Regulatory Information: United States