

**Safety Data Sheet
Quad-Cure UVEA****Revision Date:
20 July, 2026****Section 1. Identification****Product identifier****Product Identity**

Quad-Cure UVEA

Other means of identification

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against

UV-curable resin system for cured-in-place pipe (CIPP) lining and trenchless pipe rehabilitation.

Details of the supplier of the safety data sheet**Company Name**Quadex, LLC (a Vortex company)
564 W. 9320 S.,
Sandy, UT 84070**Emergency****24 hour Emergency Telephone No.**Domestic Shipments and to Canada: 1-800-633-8253
International Shipments: 1-801-629-0667**Customer Service:**

844-782-4832

Section 2. Hazard(s) identification**Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)**

Skin corrosion/irritation category 2;H315 Causes skin irritation.

Serious eye damage / eye irritation, category 2A;H319 Causes serious eye irritation.

Skin sensitizer category 1;H317 May cause an allergic skin reaction.

Specific target organ toxicity, Single exposure category 3;H335 May cause respiratory irritation.

Aquatic toxicity (acute), category 2;H401 Toxic to aquatic life.

Aquatic toxicity (chronic), category 2;H411 Toxic to aquatic life with long lasting effects.

Label elements**Warning**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

[Prevention]

- P233 Keep container tightly closed.
- P261 Avoid breathing dust, fume, gas, mist, vapors, spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves, eye protection, and face protection.

[Response]

- P302+352 IF ON SKIN: Wash with plenty of soap and water.
- P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER, doctor or physician if you feel unwell.
- P333+313 If skin irritation or a rash occurs: Get medical advice or attention.
- P337+313 If eye irritation persists: Get medical advice or attention.
- P362+364 Take off contaminated clothing and wash it before reuse.
- P391 Collect spillage.

[Storage]

- P403+233 Store in a well ventilated place. Keep container tightly closed.
- P405 Store locked up.

[Disposal]

- P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does NOT contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the US EPA PFASMASTER combined list of PFAS chemicals.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA’s Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Difunctional monomer CAS Number: 55818-57-0 Synonyms: 3,3'-(4,4'-(propane-2,2-diyl)bis(4,1-phenylene))bis(oxy)bis(2-hydroxypropane-3,1-diyl)-diacrylate, 4,4'-Isopropylidenediphenol, 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid, 4-4'-(1-methylethylidene)bis-phenol, polymer with (chlormethyl)oxirane, acrylate, BADGE diacrylate, Epoxy Acrylate, Polyacrylatester	45 - 70	Skin sensitizer category 1;H317 Aquatic toxicity (chronic), category 2;H411	No data available
TRIPROPYLENE GLYCOL DIACRILATE CAS Number: 42978-66-5 Synonyms: No available information	10 - 30	Serious eye damage / eye irritation, category 2;H319 Specific target organ toxicity, Single exposure category 3;H335 > 10% Skin corrosion/irritation category 2;H315 Skin sensitizer category 1;H317 Aquatic toxicity (chronic), category 2;H411	No data available
1,6-Hexanediol diacrylate CAS Number: 13048-33-4 Synonyms: hexane-1,6-diol diacrylate	7 - 13	Serious eye damage / eye irritation, category 2;H319 Skin corrosion/irritation category 2;H315 Skin sensitizer category 1;H317	No data available

Phenyl bis(2,4,6-Dimethylbenzoyl) Phosphine Oxide CAS Number: 162881-26-7 Synonyms: phosphine oxide, phenylbis (2,4,6- trimethylbenzoyl)	0.1 - 1	Aquatic toxicity (acute), category 1;H400 Aquatic toxicity (chronic), category 2;H411 Skin sensitizer category 1;H317 Aquatic toxicity (chronic), category 4;H413	No data available
---	---------	--	-------------------

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	
Overview	No specific symptom data available. No chronic toxicity or long term toxicity information available. Treat symptomatically. See section 2 for further details.
Inhalation	May cause respiratory irritation.
Eyes	Causes serious eye irritation.
Skin	May cause an allergic skin reaction. Causes skin irritation.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Keep container tightly closed.

Avoid breathing dust, fume, gas, mist, vapors, spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. 171

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information

See section 2 for further details. - [Storage]

Specific end use(s)

UV-curable resin system for cured-in-place pipe (CIPP) lining and trenchless pipe rehabilitation.

Section 8. Exposure controls / personal protection

Control parameters

		Exposure Limits	
CAS No.	Ingredient	Source	Value
13048-33-4	1,6-Hexanediol diacrylate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
42978-66-5	TRIPROPYLENE GLYCOL DIACRILATE	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
55818-57-0	Difunctional monomer	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
162881-26-7	Phenyl bis(2,4,6-Dimethylbenzoyl) Phosphine Oxide	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Exposure controls**Respiratory**

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes

Protective safety glasses recommended

Skin

Avoid skin contact. Protective gloves recommended.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State	Liquid
Color	No available information
Odor	No available information
Odor threshold	No available information
Melting point / freezing point	No available information
Initial boiling point and boiling range	No available information
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: No available information Upper Explosive Limit: No available information
Flash Point	No available information
Auto-ignition temperature	No available information
Decomposition temperature	No available information
pH	No available information
Viscosity (cSt)	No available information
Solubility in Water	No available information
Partition coefficient n-octanol/water (Log Kow)	No available information
Vapor pressure (Pa)	No available information
Relative Density	No available information
Vapor Density	No available information
Evaporation rate (Ether = 1)	No available information
Oxidising properties	No available information
Explosive properties	No available information
Other information	No other relevant information.

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No available information

Conditions to avoid

Avoid high temperatures and contact with incompatible material

Incompatible materials

No available information

Hazardous decomposition products

No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Difunctional monomer - (55818-57-0)	No data available.	No data available.	No data available.	No data available.	No data available.
TRIPROPYLENE GLYCOL DIACRILATE - (42978-66-5)	> 5,000.00, Rat - Category: NA	3,650.00, Rabbit - Category: 5	No data available.	No data available.	No data available.
1,6-Hexanediol diacrylate - (13048-33-4)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	No data available.	No data available.
Phenyl bis(2,4,6-Dimethylbenzoyl) Phosphine Oxide - (162881-26-7)	> 2,000.00, Rat - Category: NA	> 2,000.00, Rat - Category: NA	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	Value
13048-33-4	1,6-Hexanediol diacrylate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	No
		ACGIH	No Established Limit
42978-66-5	TRIPROPYLENE GLYCOL DIACRILATE	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	No
		ACGIH	No Established Limit
55818-57-0	Difunctional monomer	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	No
		ACGIH	No Established Limit
162881-26-7	Phenyl bis(2,4,6-Dimethylbenzoyl) Phosphine Oxide	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	No
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2A	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-single exposure (3)	3	May cause respiratory irritation.

STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Possible routes of entry:

Inhalation, ingestion, skin contact, and skin absorption.

Symptoms and effects, both acute and delayed:

No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically.

Inhalation May cause respiratory irritation.

Eyes Causes serious eye irritation.

Skin May cause an allergic skin reaction. Causes skin irritation.

Section 12. Ecological information

Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Difunctional monomer - (55818-57-0)	No data available.	No data available.	No data available.
TRIPROPYLENE GLYCOL DIACRILATE - (42978-66-5)	4.50, Leuciscus idus	88.70, Daphnia magna	28.00, Scenedesmus subspicatus
1,6-Hexanediol diacrylate - (13048-33-4)	No data available.	No data available.	No data available.
Phenyl bis(2,4,6-Dimethylbenzoyl) Phosphine Oxide - (162881-26-7)	0.10, Danio rerio	1.18, Daphnia magna	0.27, Desmodesmus subspicatus

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

Section 14. Transport information

Not regulated for packages under 5L (1.3 gallons) or 5.0 kg (11 lbs).



	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	UN3082	UN3082	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Epoxy acrylate, Hexamethylene diacrylate)	Environmentally hazardous substance, liquid, n.o.s. (Epoxy acrylate, Hexamethylene diacrylate)	Environmentally hazardous substance, liquid, n.o.s. (Epoxy acrylate, Hexamethylene diacrylate)
Transport hazard class(es)	Class: 9 Sub Class: Not Applicable	Class: 9 Sub Class: Not Applicable	Class: 9 Sub Class: Not Applicable
Packing group	III	III	III
Environmental hazards	IMDG Marine Pollutant: Yes; (Difunctional monomer@@1)		
Special precautions for user	No available information		

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA’s Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0013048-33-4	1,6-Hexanediol diacrylate	Yes		ACTIVE
0055818-57-0	Difunctional monomer	Yes	XU	ACTIVE
0162881-26-7	Phenyl bis(2,4,6-Dimethylbenzoyl) Phosphine Oxide	Yes	PMN	ACTIVE
0000108-88-3	Toluene	Yes		ACTIVE
0042978-66-5	TRIPROPYLENE GLYCOL DIACRILATE	Yes		ACTIVE

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Toluene

Proposition 65 - Female Repro Toxins (>0.0%):

Toluene

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

WARNING: This product can expose you to chemicals including [Toluene], which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Section 16. Other information

Revision Date 20 July, 2026

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Disclaimer: The information presented herein is supplied as a guide to those who handles or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document